

**PRELIMINARY PLANT DESIGN OF CHLOROFORM
FROM ACETONE AND BLEACHING POWDER
CAPACITY 40,000 TONNES PER YEAR**



By :
MUHAMMAD FAHMI HAKIM
D 500 112 007

Supervisor :
1. Muhammad Mujiburrohman, S.T., M.T., Ph.D
2. Emi Erawati, S.T., M.Eng

**DEPARTMENT OF CHEMICAL ENGINEERING
FACULTY OF ENGINEERING
UNIVERSITAS MUHAMMADIYAH SURAKARTA**

2015

VALIDATION

DEPARTMENT OF CHEMICAL ENGINEERING

FACULTY OF ENGINEERING


UNIVERSITAS MUHAMMADIYAH SURAKARTA

Name : Muhammad Fahmi Hakim
NIM : D 500 112 007
Tittle of Final Project : Preliminary plant design of chloroform
from acetone and bleaching powder
capacity 40,000 tonnes/year.
Supervisor : 1. M.Mujiburohman, S.T., M.T., Ph.D
2. Emi Erawati, S.T., M.Eng

Surakarta, March 2015

Has been approved by,

Supervisor 1



M.Mujiburohman, S.T., M.T., Ph.D.

NIK.794

Supervisor 2



Emi Erawati, S.T., M.Eng.

NIK.989

Dean of Engineering



Ir. Sri Sunarjono, M.T., Ph.D. .

NIK. 682

Head of Department
Chemical Engineering



Rois Fatoni, S.T., M.Sc., Ph.D.

NIK. 892

MUHAMMADIYAH UNIVERSITY OF SURAKARTA
DEPARTMENT OF CHEMICAL ENGINEERING
FACULTY OF ENGINEERING

STATEMENT OF AUTHENTICITY

The undersigned below :

Name : Muhammad Fahmi Hakim
NIM : D 500 112 007
Department : Chemical Engineering
Final project title : Pre design of chloroform plant from acetone and
chlorine with capacity 40,000 tonnes/year

Statrting the fact that final project results that i make and submit this is the result of my own work, except for quotations and summaries that everything . I have explained the sources. If the final project is plagiarism and other scientific or research work, then i am ready to accept the sanction both academically and law.

Author,



(Muhammad Fahmi Hakim)

MOTTO

LIFE IS STRUGGLE

DEDICATION

I dedicate this work to :

My beloved mother and father. Thank you for your prayers, support, love, sacrifice and education you've given. (Abdi Roat, S.Pd and Sri Mulyani)

My beloved brother, Muhammad Fiqri Dzikrullah, S.P. and my beloved sister Arsyah Fadhlila Putri Ananda . who always gives support, advices, and support me to hang on.

My Future 😊, Anisah Anggraini Putri who always gives support, inspiration and spirit .

All of my friends are ready for help me, Student of PESMA KH.MAS Mansyur

All of my students who brought color into my life.

All of my classmates in the International class 2011 who gave me comfort when learning.

All of my friends from 2009, 2010, 2011, 2012, 2013 and all of people, who give me support until my final project are completed.

Thank's you for All...

PREFACE

All praises due to Allah SWT, because of his mercy and blessing this final project been completed. This report is one of requirements to pass the bachelor in chemical engineering.

The author realizes this report is not perfect due to our limited knowledge and experience, therefore advice and suggestion are welcome.

In this occasion, the authors would like to thank to every one who has helped and guided in completing this report,

1. Allah SWT who has given the opportunity to complete this final project
2. Prophet Muhammad S.A.W. who has given exemplary to do the best
3. Both Parents who always provide support in completing the final project
4. Muhammad Mujiburrohman, S.T., M.T., Ph.D. as first supervisor of final project
5. Emi Erawati, S.T., M.Eng. as second supervisor of final project
6. Rois Fatoni, S.T., M.Sc. Ph.D. head of Chemical Engineering Department of UMS
7. Qomaroh, For good discussion.
8. Everyone who has supported the author to carry out this final project very well.

Authors wish this report to be beneficial to those may concern.

Surakarta, March 2015

Muhammad Fahmi Hakim

THE TABLE OF CONTENT

COVER	i
VALIDATION	ii
STATEMENT OF AUTHENTICITY	iii
MOTTO	iv
DEDICATION	v
PREFACE	vi
TABLE OF CONTENTS	vii
LIST OF TABLE	viii
LIST OF FIGURES	ix
ABSTRACT	x
CHAPTER I INTRODUCTION	1
1.1. Background.....	1
1.2. The Designed Production Capacity	1
1.3. Site Selection for the Manufacturer.....	4
1.4. Literature Reviews.....	8
1.4.1 Types of the Processes	8
1.4.2 The Use of the Product	10
1.4.3 Physical and Chemical Properties	11
1.4.4 General Process Overview.....	17
CHAPTER II PROCESS DESCRIPTION	19
2.1 Specification Raw Materials and Products.....	19
2.1.1 Spesification of Raw Materials.....	19
2.1.2 Spesification Product	19
2.2 Concept of Process	20
2.2.1 Basic of Reaction.....	20
2.2.2 Operation Condition	20
2.2.3 Reaction Mechanism	20
2.2.4 Thermodynamics Review	21
2.2.5 Review Kinetics.....	25

2.3	Process Flow diagram	28
2.3.1	Process Flow Diagram.....	28
2.3.2	Production Process	28
2.4	Mass Balance and Heat Balance	33
2.4.1	Mass Balance	33
2.4.2	Heat Balance.....	38
2.5	Factory and Process Equipment Lay Out.....	43
2.5.1	Factory Layout.....	43
2.5.2	Equipment Lay Out	48
CHAPTER III EQUIPMENT SPECIFICATION		52
3.1	Acetone Storage Tank	52
3.2	Chloroform Storage Tank	52
3.3	Reaktor	53
3.4	Mixer 01	53
3.5	Distillation Column	54
3.6	Filter	55
3.7	Decanter	56
3.8	Heat Exchanger 01	56
3.9	Heat Exchanger 02	57
3.10	Heat Exchanger 03	58
3.11	Heat Exchanger 04	59
3.12	Heat Exchanger 05	60
3.13	Heat Exchanger 06	61
3.14	Condenser 01	63
3.15	Reboiler 01	64
3.16	Pump 01.....	65
3.17	Pump 02	65
3.18	Pump 03	66
3.19	Pump 04	66
3.20	Pump 05	67
3.21	Pump 06	67

3.22 Pump 07	68
3.23 Pump 08	68
3.24 Pump 09.....	69
3.25 Bin Bleaching powder	69
3.26 Belt Conveyor 01	70
3.27 Screw Conveyor Feeder 01	70
CHAPTER IV UTILITIES	71
4.1 The Process Supporting	71
4.1.1 Water Procurement Unit.....	72
4.1.2 Procurement Unit Steam.....	86
4.1.3 Power Supply Unit.....	89
4.1.4 Procurement Fuel Unit.....	93
4.1.5 Compressed Air Supply Unit.....	94
4.1.6 Waste Processing Unit.....	94
4.2 Laboratory	95
4.2.1 Laboratory Work Program.....	96
4.2.2 Analysis Method.....	96
4.2.3 The Main Equipment of the Laboratory	97
4.3 Health and Safety at Work	97
CHAPTER V MANAGEMENT	100
5.1 Format of The Company	100
5.2 Organizational Structure.....	102
5.3 Tasks and Authorities	104
5.4 Working Hours Allocation	107
5.5 Employee's Status and Wages System.....	109
5.6 Classification of Position.....	110
5.7 Employee's Social Welfare	114
5.8 Production Management.....	114
5.9 Production Planning	115
5.10 Production Control	116

CHAPTER VI ECONOMIC ANALYSIS.....	118
6.1 Equipment Prices Approximation	121
6.2 Basic Calculation	123
6.3 Total Capital Investment (TCI) Determination	124
6.4 Result Calculation	125
6.5 Feasibility Analysis	131
CHAPTER VII DISCUSSION AND CONCLUSION	133
7.1 Discussion	133
7.2 Conclusion	133
REFERENCES	xi
Attachments	

LIST OF TABLE

Table 1.1 Import of Chloroform in Indonesia from 2006 until 2010.....	2
Table 1.2 The demand of Chloroform overseas at 2006 until 2010.....	3
Table 1.3 Data of the capacity of the plants established abroad	4
Table 2.1 Data of ΔH_f^o every component at 298 K	22
Table 2.2 Data of Gibb's free energy every component at 298K	24
Table 2.3 Mass balance Mixer01 (M-110).....	33
Table 2.4 Mass balance Reactor (R-110).....	34
Table 2.5 Mass balance Filter (H-110)	34
Table 2.6 Mass balance Decanter (H-210).....	35
Table 2.7 Mass balance Distillaation Column (D-110)	35
Table 2.7 Total mass balance	36
Table 2.8 Heat balance Reactor (R-110).....	38
Table 2.9 Heat balance Filter (H-110)	38
Table 2.10 Heat balance Decanter (H-001).....	39
Table 2.11 Heat balance Distillaation Column (D-110)	39
Table 2.12 Heat balance Heat Exchanger 01 (E-110).....	39
Table 2.13 Heat balance Heat Exchanger 02 (E-111).....	40
Table 2.14 Heat balance Heat Exchanger 03 (E-210).....	40
Table 2.15 Heat balance Heat Exchanger 04 (E-112).....	41
Table 2.16 Heat balance Heat Exchanger 05 (E-211).....	41
Table 2.17 Heat balance Heat Exchanger 06 (E-212).....	41
Table 2.18 Total heat balance	46
Table 2.19 Land area as manufacture plant	45
Table 4.1 Totals of water need	86
Table 4.2 Procurement needs steam.....	86
Table 4.3 Power consumption for process and utility.....	90
Table 4.4 Power consumption for lighting.....	91
Table 4.5 Waste sources.....	95
Table 5.1 The work schedules of each team	109

Table 5.2 Position classification, number of employees and salaries	111
Table 6.1 Price of equipment is done by using a price index data 1991-2002	122
Table 6.2 Indeks equipment price 2005-2012.....	122
Table 6.3 Fixed Capital Invesment	125
Table 6.4 Working Capital Investment	125
Table 6.5 Direct Manufacturing Cost	126
Table 6.6 Indirect Manufacturing Cost	126
Table 6.7 Fixed Manufacturing Cost	127
Table 6.8 General Expense	127
Table 6.9 Feasibility Analysis.....	131

LIST OF FIGURES

Figure 1.1 Graph need of chloroform in Indonesia.....	2
Figure 1.2 Location to manufacture the plant	7
Figure 2.1 Schematic mechanism reaction modele of chloroform	21
Figure 2.2 Flow diagram qualitative flow	30
Figure 2.3 Flow diagram quantitave	31
Figure 2.4 Flow mass balance	33
Figure 2.5 Flow heat balance	37
Figure 2.6 Plant lay out	47
Figure 2.7 Lay out of equipment.....	50
Figure 4.1 Water treatment plant	76
Figure 5.1 Structure Organization in the Chloroform Plant.....	104
Figure 6.1 Chemical Engineering Cost Index	123
Figure 6.2 Graph of Feasibility Analysis	132

ABSTRACT

Chloroform is one of industries have been good prospect. For need chloroform, Indonesia still importing from the other countries.

Chloroform used as an anesthetic and a non-polar solvent in laboratories or by industries. From many factors as the availbility of raw materials, transportation, need of chloroform in Indonesia and overseas, can determine optimum capacity to produce chloroform is 40,000 tonnes/year. With reacted between bleaching powder and acetone in ratio 27,522 kg of acetone and 2,752 kg of bleaching powder in batch reactor ($T=50^{\circ}\text{C}$ and $P=1\text{ atm}$) during 2 hours, will produce chloroform and byproducts like as calcium acetate $\text{Ca}(\text{CH}_3\text{COO})_2$, calcium hydroxide ($\text{Ca}(\text{OH})_2$), calcium chloride (CaCl_2). Plant will be build at 2017 in Cilegon, Banten with area is $52,332\text{ m}^2$. total of water needs is $278\text{ m}^3/\text{hours}$, steam required is $2,693.886\text{ kg/h}$, for electricity is 542 KW , fuel requirement is 82.79 L/h .

The economic analysis concludes that fixed manufacturing cost (F_a) is $1,845,139,452,209$. Variable cost (V_a) is $16,510,294,893,475$. Regulated cost (R_a) is $16,822,580,694,015$. Selling product (S_a) is $41,325,887,664,951$. ROI (Return on Investment) before and after tax are 99.95% and 69.97% . POT (Pay OutTime) before and after tax are 0.91 years and 1.25 years . BEP is 52.58% and. So if this plant will be build so many advantages and very profitably.

Keywords : chloroform, acetone, bleaching powder.